Exam Code: 000-911

**Exam Name:** Informix-online dynamic server system

administration

Vendor: IBM

Version: 3.00

## Part: A

1: What is the purpose of checkpoint? A.to verify that all transactions have completed B.to synchronize pages on disk with pages in memory C.to inform the server if a session has committed a transaction D.to validate that the database server processes are still running **Correct Answers: B** 2: Which portion of OnLine shared memory holds information about the thread stack? A.resident **B.virtual** C.message D.page **Correct Answers: B** 3: Where is an image of a page logged before it is changed? A.in the physical log B.in the logical log C.in the reserved pages D.in the session pool **Correct Answers: A** 4: Where are table spaces (tblspaces) created? A.in dbspaces B.in pages C.in extents D.in chunks **Correct Answers: A** 5: What is a tblspace a collection of? A.chunks **B.**dbspaces C.blobspaces D.extents **Correct Answers: D** 6: Which is NOT defined as a portion of OnLine shared memory? A.resident B.virtual C.logical D.message **Correct Answers: C** 

7: Given the settings in the exhibit, how many entries should be added to the /etc/services file?

DBSERVERNAME	onlineshm
DBSERVERALIASES	onlinetcp
NETTYPE	ipcshm, 1, 50, CPU
NETTYPE	soctop, 1, 75, NET

A.0

B.1

C.2

D.3

**Correct Answers: B** 

8: Who must have the ONCONFIG environment variable set?

A.all clients accessing the OnLine system

B.all local clients accessing the OnLine system

C.all remote clients accessing the OnLine system

D.all administrators who are tuning or initializing the OnLine system

Correct Answers: D

9: What should the INFORMIXDIR environment variable be set to?

A.the full path of the Informix binaries

B.the full path where INFORMIX-OnLine Dynamic Server is installed

C.the full path of the sqlhost file

D.the full path to the database chunks

**Correct Answers: B** 

10: What does a session launch to achieve parallel processing in a multi-processor system?

A.multiple processes

B.multiple threads

C.multiple sessions

D.multiple virtual processors

**Correct Answers: B** 

11: If kernel AIO is NOT used, database I/O occurs on which virtual process class or classes?

A.AIO

**B.CPU** 

C.ADT

D.Both CPU and AIO

Correct Answers: A

12: What is a virtual processor?

A.a hardware processor used by OnLine

B.a database server process

C.a lightweight thread

D.a set of hardware processors that run one UNIX process

**Correct Answers: B** 

13: Which mechanisms can the client use to connect to the server? (Choose three.)

A.shared memory

**B.sockets** 

C.TLI

D.listen queues

E.RPC

F.DCE

**Correct Answers: A B C** 

14: When a client is connecting to OnLine using TCP/IP, which column in the sqlhosts file is used to look up the IP address of the server machine?

A.dbservername

B.servicename

C.hostname

D.nettype

**Correct Answers: C** 

15: Which configuration parameters must directly correspond with an entry in the sqlhosts file? (Choose two.)

A.INFORMIXSERVER

**B.DBSERVERNAME** 

**C.DBSERVERALIASES** 

**D.SESSIONS** 

Correct Answers: B C

16: What does the SHMMAX kernel parameter define?

A.the maximum number of semaphores

B.the maximum number of shared memory segments

C.the maximum size of a single shared memory segment

D.the maximum number of shared resources

**Correct Answers: C** 

17: Which are OnLine configuration parameters? (Choose two.)

A.SEMMNS

**B.SHMSEG** 

C.SHMTOTAL

D.SHMADD

Correct Answers: C D

18: Which UNIX kernel parameter, if set too low, could cause an error if another shared memory

segment is added?
A.SHMMNI
B.SEMMNI
C.SEMMSL

D.SHMORE

**Correct Answers: A** 

19: What is DBSPACETEMP? (Choose two.)

A.an environment variable

B.a configuration parameter

C.a kernel parameter

D.a shell parameter

**Correct Answers: A B** 

20: When first initializing an OnLine system, which utility can be used to set the value of OnLine configuration parameters?

A.oninit

**B.**onspaces

C.onmonitor

D.onmode

**Correct Answers: C**