

Exam Code: NS0-330

Exam Name: NCSA-DataFort Security Exam

Vendor: Network Appliance

Version: DEMO

Part: A


1: Which interface is used by the Setup Wizard to configure an FC-series DataFort appliance?

- A.serial port
- B.Ethernet port
- C.host FC-port
- D.storage FC-port

Correct Answers: B

2: Click the Exhibit button.

What SEP number (fcsite) does Label C indicate in this FC1020 rear panel diagram?



- A.0
- B.1
- C.2
- D.3
- E.4
- F.5

Correct Answers: A

3: California SB1386 requires businesses and government agencies to _____.

- A.encrypt personal information on onsite backup tapes when reasonable alternative methods are not in place
- B.encrypt all personal information on offsite backup tapes when reasonable alternative methods are not in place
- C.encrypt all personal information on both disk and backup tapes, onsite or offsite, when reasonable alternative methods are not in place
- D.notify individuals if their unencrypted personal information is believed to have been disclosed to an unauthorized person
- E.notify the California District Attorney Office if unencrypted personal information is believed to have been disclosed to an unauthorized person

Correct Answers: D

4: Which SCSI signaling and connector type is used by an S-Series DataFort?

- A.HVD signal, VHDCI connector type
- B.HVD signal, HD68 connector type

- C.LVD signal, VHDCI connector type
- D.LVD signal, HD68 connector type

Correct Answers: C

5: Which defense setting requires zeroization after rebooting with a low battery condition?

- A.Basic
- B.Medium
- C.High
- D.FIPS mode
- E.CC mode

Correct Answers: C

6: Which step is automatically performed when using host virtualization?

- A.WWN forwarding for virtualized hosts
- B.WWN forwarding when creating Cryptainer vaults
- C.masking LUNs to the base WWN on the storage side and to the virtualized host WWN
- D.granting Cryptainer access to virtualized hosts
- E.adding the virtualized host WWN to the storage side zoneadding the virtualized host? WWN to the storage side zone

Correct Answers: D

7: Which five filtering options does the network capture capability on the DataFort allow? (Choose five.)

- A.filter on IP address
- B.filter on DNS hostname
- C.filter on port number
- D.filter on IP protocol
- E.filter on user ID
- F.filter using "and," "or" and "not"

Correct Answers: A B C D F

8: What can the E-Series DataFort net util tcpdump command capture?

- A.network packets going between two arbitrary machines
- B.only network packets going between DataFort client-side NIC and arbitrary machines
- C.only network packets going between DataFort server-side NIC and arbitrary machines
- D.only network packets going between DataFort client-side NIC and server-side NIC
- E.network packets going between DataFort client-side/server-side NIC and arbitrary machines

Correct Answers: E

9: Which two actions remove key material? (Choose two.)

- A.zeroization of DataFort with destruction of its System Card
- B.deletion of all manually saved configdb files
- C.deletion of all Recovery Key Archives
- D.destruction of Admin Cards

Correct Answers: A B

10: Which setting(s) do you use to enable the tape error recovery extension to the FC protocol?

A.dfc.hostside_fc_tape; dfc.storageside_fc_tape

B.dfc.disable_host_fc_tape; dfc.disable_storage_fc_tape

C.dfc.enable_fcp_error_recovery

D.dfc.tape_recovery_buffer

Correct Answers: B