



Vendor: HP

Exam Code: HP0-J41

Exam Name: Implementing HP P2000 StorageWorks
Solutions

Version: DEMO

QUESTION 1

Which entity must be created for Remote Snap replication in a P2000 G3 environment?

- A. data replication group
- B. mirror set
- C. replication set
- D. snap group

Answer: C

QUESTION 2

Which type of volume replication can you define in Replication Setup Wizard in a P2000 G3 environment?

- A. volume replication on a host agent basis
- B. volume replication on the local system or to a remote system
- C. volume replication on the local system but not to a remote system
- D. volume replication to a remote system exclusively

Answer: B

QUESTION 3

When implementing a P2000 G3 solution with a single 8Gb/s FC controller, what are advantages of a fabric topology over direct connect?

- A. supports multiple paths
- B. provides storage access from iSCSI adapters
- C. supports more storage
- D. provides storage access for more hosts

Answer: D

QUESTION 4

On the P2000 combo iSCSI/FC controller, how do iSCSI and Fibre Channel ports differ? (Select two.)

- A. The iSCSI ports require an IP address.
- B. FC ports require a Logical Unit Number.
- C. The iSCSI ports are 10Gb/s while the FC ports are 8Gb/s.
- D. The FC ports are 8Gb/s while the iSCSI ports are 1Gb/s.
- E. The controller has more iSCSI ports than FC ports.

Answer: AC

QUESTION 5

What is considered an iSCSI initiator in a P2000 G3 MSA implementation?

- A. volumes
- B. Ethernet switches

- C. combo FC/iSCSI controllers
- D. server hosts

Answer: D

QUESTION 6

When you add an expansion module to a P2000 G3 MSA, which HP recommended action should you take?

- A. Configure the storage before you cable the expansion module to the controllers.
- B. Update the SMI-S embedded processor firmware before you configure the module.
- C. Install the Storage Management Utility on the new module.
- D. Set all enclosure management processors to the same firmware level.

Answer: B

QUESTION 7

What must you do before you update expansion module firmware on a single-controller P2000 G3 system?

- A. Stop I/O to all vdisks.
- B. Set the failover policy.
- C. Segregate the module from the controller.
- D. Update the enclosure management processor (EMP) firmware first.

Answer: A

QUESTION 8

What is a benefit of the P2000 G3 FC array?

- A. 8GB cache per controller
- B. built-in Remote Snap capability allowing replication over FC
- C. support for 128 snapshots included in base license
- D. choice of 8Gb/s FC or combo FC/iSCSI controllers

Answer: D

QUESTION 9

What is the correct definition of the P2000 G3 Remote Snap?

- A. a synchronous, controller-based replication process based on Volume Shadow Services
- B. an asynchronous, software-based replication process based on Volume Shadow Services
- C. a synchronous, controller-based replication process based on snapshot technology
- D. an asynchronous, controller-based replication process based on snapshot technology

Answer: D

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14