



**Vendor:** IBM

**Exam Code:** 000-N11

**Exam Name:** IBM InfoSphere Change Data Capture  
Technical Mastery Test v2

**Version:** DEMO

**QUESTION NO: 1**

The default port number 10101 assigned to Access Server is \_\_\_\_\_.

- A. a fixed value pre-assigned by the software that can never be changed
- B. a fixed value assigned by users at the time of installing the software
- C. automatically assigned based on the license key
- D. updatable by editing the Management Console properties

**Answer: D**

**QUESTION NO: 2**

Which of the following will be a valid SOURCE for "InfoSphere Change Data Capture (CDC) for Oracle Triggers"?

- A. Local Oracle databases running on any supported platform
- B. Remote Oracle databases running on any supported platform
- C. Both local and remote Oracle databases running on any supported platform
- D. Heterogeneous databases running on any supported platform

**Answer: A**

**QUESTION NO: 3**

What additional software is needed to develop and compile your own Java User Exits in CDC?

- A. Microsoft Visual C++ compiler
- B. JDK only
- C. Both JRE and JDK
- D. No additional software is required

**Answer: B**

**QUESTION NO: 4**

CDC guarantees data integrity by using two-phase commit operation between \_\_\_\_\_.

- A. source tables and source metadata
- B. target tables and target metadata
- C. source tables and target Tables
- D. source metadata and target metadata

**Answer: B**

**QUESTION NO: 5**

What happens when a new CDC subscription is created while database logging is turned off at the source?

- A. The CDC instance cannot be connected
- B. The datastore cannot be created or connected
- C. The subscription that uses the source datastore cannot be created
- D. When the subscription is started using the Management Console, the replication will not succeed.

**Answer: D**