



Vendor: BlackBerry

Exam Code: BCP-521

Exam Name: Integrating the BlackBerry MVS SIP Gateway
Solution

Version: DEMO

QUESTION 1

An organization's MVS administrator determines that there is a single MVS FMC Phone log file for each day. Due to the large amount of traffic generated by the 850 BlackBerry MVS users, a single log file can be as large as 1 GB.

The MVS administrator needs to break down the MVS FMC Phone log files to 60 MB so they can be transmitted or shared easily.

How should the MVS administrator configure the logging options? (Choose one.)

- A. Set Debug log size (MB) to 60 in the MVS Configuration tool for the MVS FMC Phone service name
- B. Set Debug log size (MB) to 60 in the MVS Console for the MVS FMC Phone service name
- C. Set Debug log size (GB) to 0.06 in the MVS Configuration tool for the MVS FMC Phone service name
- D. Set Debug log size (GB) to 0.06 in the MVS Console for the MVS FMC Phone service name

Answer: A

QUESTION 2

An organization uses a single BlackBerry MVS Template. Several employees report that their active MVS calls are not automatically moving between the Mobile and Wi-Fi transports. An investigation reveals that the only users affected by this issue were added to the BlackBerry MVS Server on or after Jan 1, 2011.

What action was taken on Jan 1, 2011 to cause this issue? (Choose one.)

- A. The BlackBerry MVS Template was modified to restrict automatic transport handoff, and only new users were affected
- B. Default Class of Service was modified to restrict automatic transport handoff, and only new users were affected
- C. The BlackBerry MVS Template was modified to set the default network for MVS calls to Wi-Fi, and the handoff to mobile transport cannot occur
- D. New Class of Service was created to restrict users from moving calls to their mobile numbers, and was assigned to all new users

Answer: A

QUESTION 3

What are two security features of BlackBerry MVS? (Choose two.)

- A. Access control lists
- B. Validation rules input
- C. Denial of Service protection
- D. Standard message encryption
- E. Authentication of BlackBerry smartphone users

Answer: DE

QUESTION 4

What is the minimum version of BlackBerry Device Software required to use Voice over Wi-Fi with BlackBerry MVS? (Choose one.)

- A. 4.5

- B. 4.6
- C. 5.0
- D. 6.0

Answer: C

QUESTION 5

Which MVS Console management feature permits a user to configure the BlackBerry MVS Client on the BlackBerry smartphones? (Choose one.)

- A. Templates
- B. Users
- C. Class of Service
- D. Telephony Connectors
- E. Servers and Components

Answer: C

QUESTION 6

While viewing a capture from a packet capture tool, the MVS administrator determines there is no communication between the BlackBerry MVS Server and the SIP Gateway. Which BlackBerry MVS component should generate traffic in the capture? (Choose one.)

- A. MVS Data Manager
- B. MVS Console
- C. MVS Session Manager
- D. MVS Witness Server

Answer: C

QUESTION 7

What is the maximum roundtrip ping time between the BlackBerry MVS Server and BlackBerry Configuration Database? (Choose one.)

- A. 80 milliseconds
- B. 120 milliseconds
- C. 240 milliseconds
- D. 360 milliseconds

Answer: C

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad.**
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14