



Vendor: HP

Exam Code: HP5-K03D

Exam Name: Delta - Supporting and Servicing HP 3PAR
StoreServ Solutions Exam

Version: DEMO

QUESTION 1

You are installing an HP 3PAR StoreServ 7000 for your customer. They want to deploy a physical Service Processor. When setting the Global LAN IP address via ETH0, which user account is required to log in to the Service Processor?

- A. setupusr
- B. 3paradm
- C. spmamt
- D. hpsservice

Answer: B

QUESTION 2

Your customer has recently purchased an HP 3PAR StoreServ 7200 with two additional disk enclosures. Each disk enclosure contains 24 disks. Their business requirement stipulates that no data can be lost, even if an entire disk enclosure fails. You recommend that they use HA Cage for their CPG availability.

When creating the CPGs, which RAID levels should you configure to meet the customer requirement (Select two.)

- A. RAID 1
- B. RAID 5 (3+1)
- C. RAID 5 (4+1)
- D. RAID 6 (3+2)
- E. RAID 6 (4+2)

Answer: BC

QUESTION 3

Your customer has an existing HP 3PAR F400 array with two controller nodes and eight DC3 disk enclosures. Each DC3 disk enclosure is fully populated with 300GB 15k disk drives.

The customer has purchased a new HP 3PAR StoreServ 7400 two-node system with five additional drive enclosures to be installed in a second data center. This system is fully populated with 450GB 10k drives. Data will be migrated from the F400 to the 7400 by using Remote Copy Fibre Channel (RCFC). The 7400 will then become the primary system, but data will continue to be replicated between the systems. Additionally, the customer has ordered extra 8GB/s FC adapters for the new 7400.

During the installation you record these serial numbers for the new HP 3PAR StoreServ system:

- * HP serial number CZ32439658
- * 3PAR serial number 1628580

Which SPID is assigned during the installation?

- A. SP0001628580
- B. SP32439658
- C. 1628580
- D. 00032439658

Answer: A

Explanation:

<http://bizsupport2.austin.hp.com/bc/docs/support/SupportManual/c03603825/c03603825.pdf>(page 7, second bullet)

QUESTION 4

What must be done prior to running HP 3PAR SmartStart?

- A. The service laptop needs to be connected to the StoreServ system.
- B. The Service Processor and StoreServ system must be connected to the same subnet
- C. An installation service call must be placed with HP Central,
- D. A zone must be created between the StoreServ system and the Service Processor.

Answer: B

QUESTION 5

When replacing a defective disk drive in an HP 3PAR StoreServ system, which additional task should you perform?

- A. Install a blank to prevent overheating if you need more than 30 minutes
- B. Set the SP in maintenance mode via SPmaint.
- C. Shut down the node pair to which the defective disk is associated.
- D. Stop the I/O to all disks that are in the same LD as the defective disk.

Answer: A

Explanation:

<http://bizsupport2.austin.hp.com/bc/docs/support/SupportManual/c03607537/c03607537.pdf>(page 8, see caution)

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14