

Vendor: Network Appliance

Exam Code: NS0-145

Exam Name: NetApp Certified Storage Associate

Version: DEMO

QUESTION 1

The Data ONTAP FlexVol feature allows administrators to do which two? (Choose two.)

- A. Create volumes that can be used with NAS or SAN data
- B. Create any number of volumes
- C. Create online backups
- D. Create volumes that can increase or decrease in size

Answer: AD

QUESTION 2

Executing this command will have what effect?

options wafl.default_security_style mixed

- A. It will change the security style of all volumes to mixed.
- B. It will change the security style of all qtrees to mixed.
- C. It will set the security style of all files to mixed.
- D. It will set the default security style for all newly created volumes.

Answer: D

QUESTION 3

Which two parameters influence Solid State Disk (SSD) performance? (Choose two.)

- A. Seek time
- B. Rotational time
- C. Transfer time
- D. Overhead

Answer: CD

QUESTION 4

Which command will show the FCP target(s) on a storage system?

- A. lun show -v
- B. fcp show adapter
- C. fcp show all
- D. lun stats

Answer: B

QUESTION 5

Which two are Data ONTAP commands for gathering performance information? (Choose two.)

- A. sio_ntap_soll
- B. sysstat
- C. perfstat
- D. nfsstat

Answer: BD

QUESTION 6

CIFS is a stateful service. What maintains a history of connection activities?

- A. server only
- B. application
- C. client and server
- D. domain controller

Answer: C

QUESTION 7

What mechanism allows you to make LUNs available to some initiators and unavailable to others?

- A. LUN masking
- B. LUN hiding
- C. LUN grouping
- D. LUN cloning

Answer: A

QUESTION 8

Which 3 FAS deduplication features were added in ONTAP 7.3?

- A. Qtree SnapMirror is supported on the destination for deduplication by enabling on the source, destination, or both systems.
- B. The fingerprint database and the change logs that the deduplication process uses are located outside thevolume, in the aggregate.
- C. After breaking the deduplication volume destination mirror, the deduplication (a-sis) process continues uninterrupted.
- D. The deduplication schedule is not tied to a Qtree SnapMirror update, and can be configured just like thededuplication schedule for any volume.
- E. The deduplication fingerprint and change logs were moved to the root volume /etc/dedup directory.

Answer: ABD

QUESTION 9

Two alternatives to guaranteeing LUN space reservations during a snapshot on a volume with fractional reserve set to 0% can be: (Choose two.)

- A. LUN reset
- B. Snap Autodelete
- C. Volume AutoSize
- D. Snapshot Reserve

Answer: BC

QUESTION 10

Which command would you use to verify that the iSCSI service is running?

- A. license add iSCSI
- B. iscsi service
- C. iscsi status
- D. iscsi protocol

Answer: C

QUESTION 11

CIFS clients can resolve symbolic links created by NFS clients on the storage system.

- A. True
- B. False

Answer: A

QUESTION 12

An iSCSI or FC SAN implementation provides _____ access to LUNs.

- A. file
- B. block
- C. VLD
- D. VIIP

Answer: B

QUESTION 13

When viewing the output of the sysstat -f 1 command, which three fields are part of the total number of operations per second? (Choose three.)

- A. CIFS
- B. FTP
- C. NFS
- D. FCP
- E. SnapMirror

Answer: ACD

QUESTION 14

Which is NOT a Data ONTAP 7-Mode feature?

- A. Singe-system namespace
- B. Deduplication
- C. DataMotion for Volumes
- D. Storage Failover

Answer: D

QUESTION 15

What is the purpose of the /etc/nsswitch.conf file?


- A. It exports a resource persistently.
- B. It determines the order of authentication.
- C. It maps a hostname to its IP address.
- D. It authenticates the users.

Answer: B


QUESTION 16

Drag and Drop Question

Match each term with its definition.



Answer:



QUESTION 17

Drag and Drop Question

Match the configuration file with its purpose.

/etc/usermap.cfg Builds UNIX credentials for a Windows user Persistent CIFS setup configuration information /etc/passwd Windows users to UNIX users mapping /etc/lclgroups.cfg Stores local groups created using useradmin /etc/cifsconfig_setup.cfg command /etc/cifssec.cfg Stores Windows domain SIDs Answer: Builds UNIX credentials for a Windows user Windows users to UNIX users mapping Persistent CIFS setup configuration information Builds UNIX credentials for a Windows user Stores local groups created using useradmin Windows users to UNIX users mapping command Stores local groups created using useradmin Persistent CIFS setup configuration information command

Stores Windows domain SIDs

Stores Windows domain SIDs

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.lead2pass.com/all-products.html

























10% Discount Coupon Code: ASTR14