

Vendor: HP

Exam Code: HP0-W02

Exam Name: Implementing HP StorageWorks EVA

Solutions

Version: DEMO

## **QUESTION 1**

Which factor, in addition to storage and storage growth, is a typical driver for the implementation of Enterprise Virtual Array 8000 solutions?

- A. throughput
- B. data availability
- C. backup window
- D. management cost

Answer: A

#### **QUESTION 2**

What happens if an HSV controller reaches a critical temperature?

- A. Ungrouped disks are powered off.
- B. Cache is put in write-through mode.
- C. Unused host ports are deactivated.
- D. Array shuts down after 180 seconds.

#### Answer: B

#### **QUESTION 3**

You have a host connected to an EVA6000 using two HBAs. You find that the EVA is only accessible through one HBA. What are the possible causes? (Select three.)

- A. There is a faulty FC cable.
- B. The Fabric is not properly zoned.
- C. One HSV controller is powered off.
- D. Virtual disk properties are set for no failback.
- E. The wrong HBA WWID was added to the host-defined ports.

#### Answer: ABE

#### **QUESTION 4**

When a cache battery fails on and EVA8000, why is it important to replace this as soon as possible?

- A. No units will be presented if the second battery also fails.
- B. Primary controller is disabled until cache battery is replaced.
- C. Secondary controller owns all units until battery status changes.
- D. The cache works in write through mode on the primary controller.

## Answer: A

## **QUESTION 5**

Which replication method could cause an overcommit situation? (Select two.)

- A. clone
- B. Vsnap

- C. snapclone
- D. fully allocated snapshot
- E. demand-allocated snapshot

#### Answer: BE

#### **QUESTION 6**

The occupancy alarm level on an EVA4000 containing one disk group is set to 90%. When will an event be generated on the Command View EVA management station?

- A. when a virtual disk is filled above 90%
- B. when 90% of space is allocated on a single disk
- C. when 90% of disk slots are occupied in the array
- D. when usage of disk space within the disk group is above 90%

#### Answer: D

#### **QUESTION 7**

Click the Exhibit button. Which EVA product is being implemented?

ed HSV Storage Syst Sattime View events R Uninitialized Storage System 1de Name: 20.8810	Condition State Operational state Licensed features	Skut down
Uninitialized Storage System 'ide Name:	Operational state:	(Üninitialized)
System (ide Name:		(Üninitialized)
	Licensed features	
JD-8B10	Russinks Milekak 200-kraubled Subal	
5-25-01/10/201996	Basic:	Yes
- AB-01.		Yes
0-1f4b-0000-0000-	Data replication:	Yes
	System Memory	
HSV210	Control cache	4096 MB
117.07.07	Data Cache	4096 MB
	Total cache:	8192 MB
10 Aug 2006 05:44:31		
		1
	HSV210 6000 10 Aug 2006 05:44:31 S \$Y\$TEM IS UNINITIALIZED	HSV210 Control cache 6000 Total cache 10 Aug 2006

- A. EVA3000
- B. EVA5000
- C. EVA4000
- D. EVA6000
- E. EVA8000

Answer: E

## **QUESTION 8**

How many PSEGs are used in a Vraid5 Rstore?

A. 3+1

- B. 3+2
- C. 4+1
- D. 4+2
- E. 4+3

## Answer: C

## **QUESTION 9**

Which tool is used to implement redundant paths to a Vdisk from an EVA4000/6000/8000 on an HP-UX system?

## A. SAM

- B. altPath
- C. PVlinks
- D. MPIO DSM

## Answer: C

## **QUESTION 10**

What is a characteristic of Vraid0? (Select three.)

- A. 4+0 PSEGs per Rstore
- B. 4 +4 PSEGs per Rstore
- C. good read and write access
- D. no disk failure data protection
- E. single disk failure data protection
- F. good read and poor write access

Answer: ACD

## **QUESTION 11**

What happens when I/O requests are issued to a Vdisk on the non-owning controller? (Select two.)

- A. I/O requests issued have no performance impact.
- B. A read request issued has no performance impact.
- C. A write request issued has no performance impact.
- D. A read request issued has a higher performance impact.
- E. A write request issued has a higher performance impact.

## Answer: CD

## **QUESTION 12**

You connect a 0C6D expansion rack to a fully equipped 2C12D rack. What is the maximum number of disk drives that can be added to achieve a supported configuration?

- A. 56
- B. 60
- C. 72
- D. 84

Answer: C

## **QUESTION 13**

What causes the first write overhead on an Enterprise Virtual Array?

- A. Vraid1
- B. Vdisk diagnosis
- C. metadata update
- D. controller intercommunication

## Answer: C

## **QUESTION 14**

Which component in an EVA4000 subsystem is responsible for bypassing failed disk drives?

- A. fibre channel loop switch
- B. disk drive enclosure I/O module
- C. the Array controller (HSV controller)
- D. environmental monitoring unit (EMU)

## Answer: B

## **QUESTION 15**

How many concurrent disk drive failures with an RSS could be covered with a double disk failure protection level?

- A. 0
- B. 1
- C. 2
- D. 4

## Answer: A

Get Latest & Actual <u>HPO-W02</u> Exam's Question and Answers from Lead2pass. <u>http://www.lead2pass.com</u> **★** Instant Download **★** PDF And VCE **★** 100% Passing Guarantee **★** 100% Money Back Guarantee

# Thank You for Trying Our Product

## Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: <u>http://www.lead2pass.com/all-products.html</u>



10% Discount Coupon Code: ASTR14