

**Exam Code:** HP0-S19

**Exam Name:** Integrating and Managing HP ProLiant  
ML/DL in the Enterprise

**Vendor:** HP

**Version:** DEMO

## **Part: A**

1: You are implementing HP SIM Performance Management Pack for 350 servers. How do you change the data capture interval to run every 5 minutes?

- A. Access each server RBSU manually and change the hardware data capture parameter.
- B. Access each server's HP SNMP Management Agents Configuration page on Systems Management Homepage and change the data collection parameter.
- C. Use iLO 2 scripting and deploy the iLO 2 data interval parameter change script using HP Rapid Deployment Pack to all the servers.
- D. Access each server iLO 2 and change the parameter in the Insight Agent Setting.

**Correct Answers: B**

2: You are troubleshooting a problem with an HP ProLiant DL380 G5. Users are reporting very slow performance reading files hosted on this server. You need to access the Array Diagnostics Utility (ADU) to check for any hard drive errors. How can you access the ADU?

- A. Boot from the Firmware Maintenance CD.
- B. Boot from Insight Control Data Center Edition DVD.
- C. Boot from SmartStart CD.
- D. Launch from Online Array Configuration Utility (ACU).

**Correct Answers: C**

3: Which components can be installed with the Insight Control Environment integrated installer? (Select two.)

- A. HP SAN Essentials
- B. HP Virtual Server Environment
- C. HP Insight Power Manager
- D. HP Systems Insight Manager

**Correct Answers: C D**

4: You need the ability to replicate Windows data to an off-site disaster recovery location in near real-time. The solution must use the existing WAN as there is no budget for installing expensive Fiber Channel infrastructure. Which product allows TCP/IP based remote replication?

- A. HP Storage Volume Growth
- B. HP Storage Mirroring
- C. HP Virtual Replicator
- D. HP Cluster Replication

**Correct Answers: B**

5: After changing the Windows Administrator password, the administrator can no longer sign into HP SIM. How can you resolve this problem?

- A. There is no way to recover the password, therefore you must reinstall HP SIM.
- B. You must only change the HP SIM service password to the new password.
- C. You must only change the MSSQL service password and the HP SIM service password to the

new password.

D.You must change the MSSQL service password, the HP SIM service password and the HP Insight Management Agent service password to the new password.

**Correct Answers: C**

6: Which types of licensing are available for HP Virtualization Management Software? (Select three.)

A.Corporate Value license

B.Flexible-quantity license

C.Tracking license

D.Try-Buy 24-hours license

E.Single-server license

F.Instant On-Demand license

**Correct Answers: B C E**

7: How do you configure MSA30 from a single-bus configuration to a dual-bus configuration?

A.Replace the single-port SCSI I/O module with a dual-port SCSI I/O module.

B.Reconfigure the properties of the MSA30 controller using Array Configuration Utility (ACU).

C.It is not possible to configure the MSA30 in a dual-bus configuration.

D.Set the Bus Configuration switch to dual-bus mode on the back of the MSA30 unit.

**Correct Answers: A**

8: Click the Task button. Hardware conditions are indicated in the State pane of the HP Management Pack for Microsoft Operations Manager. Place each hardware condition next to its description.

Drag and Drop

Place each hardware condition next to its description.

(place here)	Hardware is in a normal state.
(place here)	Hardware is in a degraded state.
(place here)	Hardware is in a failed state.
(place here)	Hardware is in an unknown state.

**Hardware Conditions**

Success	Warning	Unknown	Critical Error	Done
---------	---------	---------	----------------	------

**Correct Answers:**

**Drag and Drop**

**Place each hardware condition next to its description.**

Critical Error	Hardware is in a normal state.
Unknown	Hardware is in a degraded state.
Success	Hardware is in a failed state.
Warning	Hardware is in an unknown state.

**Hardware Conditions**

Success   Warning   Unknown   Critical Error   Done

9: Which statements are true about an HP StorageWorks Modular Storage Array 50 enclosure? (Select two.)

- A.It can be cascaded to up to 3 MSA50 enclosures.
- B.It supports up to 10 SFF SATA or SAS drives.
- C.It can only be connected to a SmartArray P800 controller.
- D.It supports both SFF SAS and SATA drives in the enclosure, but they must be configured into separate array sets.

**Correct Answers: B D**

10: When viewing a Performance Management Pack Report, a server administrator determines that the application server's network interface cards are saturated. Which part of the HP Troubleshooting Methodology does this reflect?

- A.Collect Data
- B.Execute Plan
- C.Implement Preventive Measures
- D.Evaluate Data
- E.Develop an Optimized Plan
- F.Determine if the Problem is Resolved

**Correct Answers: D**