



Vendor: HP

Exam Code: HP0-768

Exam Name: NonStop Transaction Management Facility
(TMF)

Version: DEMO

QUESTION 1

Which parameter can only be configured when adding an audit trail?

- A. audit trail file size
- B. active volumes
- C. files per volume
- D. audit trail prefix

Answer: A

QUESTION 2

Under what circumstance is it possible to have audited data on the same volume as audit trail files which have not yet been dumped?

- A. when the volume is defined as an overflow volume
- B. when the volume is defined as a restore volume
- C. when index files or alternate key files are the only audited data files on this volume
- D. when the data is being replicated by the remote data facility (RDF)

Answer: A

QUESTION 3

Which action does TMF perform during TMF overflow processing?

- A. Audit trails are copied from the active volume to the overflow volume.
- B. New audit trails are created on the overflow volume until the oldest file is unpinned.
- C. Overflow threshold is temporarily increased to the begintransdisable threshold.
- D. Audit trail files are renamed.

Answer: A

QUESTION 4

Which TMFCOM command requires that TMF is stopped? Select TWO.

- A. ALTER CATALOG
- B. DELETE AUDITDUMP
- C. ALTER BEGINTRANS
- D. DELETE CATALOG
- E. ALTER TMF, CONFIGVOL

Answer: AE

QUESTION 5

What can reduce the amount of disk contention and excessive seeks during audit dump processing?

- A. mirroring disk drives
- B. configuring more than one active audit volume for an audit trail
- C. configuring more than one tape device for the audit dump process

D. configuring more files per active audit volume

Answer: B

QUESTION 6

Performing a TMFCOM ALTER DATAVOLS to change RECOVERYMODE from ARCHIVE to ONLINE _____.

- A. causes audit trails which may be needed for volume recovery to be restored to disk
- B. releases audit trails that were pinned on disk because they would be needed for volume recovery
- C. causes subsequent audit trails to be retained on disk for as long as they may be needed for volume recovery
- D. forces a volume recovery operation on that data volume

Answer: C

QUESTION 7

When is it possible for multiple TMF configurations to be active at the same time?

- A. Only one TMF configuration is allowed to be active at one time.
- B. after the TMFCOM ALTER TMF, CONFVOL command has been used
- C. when there are multiple RDF configurations in use
- D. when both master and auxiliary audit trails have been configured

Answer: A

QUESTION 8

What is the purpose of data volumes in the TMF configuration?

- A. to contain the data to be protected
- B. to contain the data generated by TMF for protection
- C. to contain the TMF configuration information
- D. to contain the TMF catalog

Answer: A

QUESTION 9

Which TMFCOM command MUST be used prior to configuring TMF with a new audit trail?

- A. DELETE TMF
- B. INITIALIZE TMF
- C. RECONFIGURE TMF
- D. SHUTDOWN TMF, ABRUPT

Answer: A

QUESTION 10

What can you do to increase audit trail capacity on a running system? Select TWO.

- A. Increase the size of the audit trail files.
- B. Add an auxiliary audit trail.
- C. Add an active audit volume.
- D. Increase the number of audit trail files per active audit volume.
- E. Free disk space on existing active audit volumes.

Answer: CD

QUESTION 11

A TMF data volume has a status of DISABLED (DIRTY). Which TMFCOM command is necessary to remove the data volume from the TMF configuration?

- A. DELETE DATAVOL <DataVol>, ALLOWINCONSISTENCY
- B. REMOVE DATAVOL <DataVol>, FORCED
- C. DELETE DATAVOL <DataVol>, IGNOREPREVIOUSCONFIG
- D. RESET DATAVOL <DataVol>, FORCED

Answer: A

QUESTION 12

Which condition may occur after decreasing the number of files per active audit volume in the TMF configuration?

- A. The transaction rate will increase.
- B. The auto-abort threshold will decrease.
- C. The audit trail usage can be reduced.
- D. The begintransdisable threshold can be exceeded.

Answer: D

QUESTION 13

What is the maximum number of auxiliary audit trails that can be added to a TMF configuration?

- A. 15
- B. 16
- C. 99
- D. 100

Answer: A

QUESTION 14

What is contained in the TMF audit trail?

- A. process information for applications that generate transactions
- B. TMF configuration changes
- C. transaction statistics
- D. information required by TMF to protect audited files

Answer: D

QUESTION 15

TMF has been started. What actions must be performed to change the audit trail file size?

- A. stop TMF, delete the TMF configuration, add the audit trail specifying the new filesize
- B. stop TMF, alter the audit trail specifying the new filesize
- C. stop TMF, delete the TMF configuration, alter the audit trail specifying the new filesize
- D. stop the audit trail, delete the audit trail, add the audit trail with the new file size

Answer: A

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14