



Vendor: IBM

Exam Code: C2140-134

Exam Name: Rational Business Developer Version 7.1

Version: DEMO

QUESTION 1

Which EGL move statement is valid?

- A. move RECORDA to RECORDB byByte;
- B. move RECORDA to RECORDB byPosition;
- C. move RECORDA to RECORDB with VAGenCompat;
- D. move RECORDA to RECORDB for INDEX1 to INDEX2;

Answer: A

QUESTION 2

What is the BEST technique to retrieve SQL data in the situation where there might be hundreds of rows that satisfy the criteria for the WHERE clause?

- A. An open statement with the multipleRows option
- B. An open statement followed by a loop of get next statements to retrieve all the rows
- C. A get statement with implicit SQL to retrieve all the rows into a dynamic array
- D. A get statement with a customized SQL WHERE clause and set boundaries for the retrieve using the SQL BETWEEN predicate

Answer: C

QUESTION 3

Which choice is a valid stereotype for a record?

- A. Array
- B. CSV
- C. ExternalType
- D. Form

Answer: A

QUESTION 4

ProgramA calls ProgramB . Both programs access a relational database. What is the primary difference between the EGL system variables sqlLib.sqlData and sysVar.sqlData?

- A. sqlLib.sqlData and sysVar.sqlData are interchangeable and always have the same values.
- B. sqlLib.sqlData contains all the available information from the SQLCA; sysVar.sqlData only contains the SQLCODE .
- C. The scope of sysVar.sqlData is local to each program; the scope of sqlLib.sqlData is global so that both ProgramA and ProgramB can access the results of the most recent SQL I/O statement regardless of which program the I/O occurred in.
- D. There is no system variable named sqlLib.sqlData.

Answer: B

QUESTION 5

Which statement demonstrates how to call a DB2 Stored Procedure passing three parameters and returning a result set?

- A. call storedProcedureName (parm1, parm2, parm3);
- B. execute #sql {call storedProcedureName(parm1, parm2, parm3)};
- C. open resultSetID with #sql {call storedProcedureName (:parm1, :parm2, :parm3)};
- D. The current implementation for EGL only supports calling DB2 Stored Procedures for Insert/Update/Delete.

Answer: B

QUESTION 6

Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the first element has the value 3?

- A. myArray INT =3;
- B. myArray INT[] =3;
- C. myArray INT[3];
- D. myArray INT[3] =3;

Answer: C

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14