

Vendor: IBM

Exam Code: C2180-319

Exam Name: IBM WebSphere Application Server Developer

Tools V8.5 with Liberty Profile

Version: DEMO

QUESTION 1

A developer is installing a Liberty profile runtimeenvironment on a Windows machine and hasspecified the following installation path:

C:\IBM\WebSphere

When the installation is finished, in which directory will all of the Liberty profile files be stored?

- A. C:\IBM\WebSphere\wlp
- B. C:\IBM\WebSphere\server
- C. C:\IBM\WebSphere\liberty
- D. C:\IBM\WebSphere\profile

Answer: A

QUESTION 2

Which task is supported on WebSphere Application Server Developer Tools when targeting theLiberty runtime?

- A. Start and stop a remote server
- B. Federate applications to the server
- C. Deploy RESTful Web Services (JAX-RS) applications
- D. Automatically update the target runtime when importing an application with an invalidruntime

Answer: C

QUESTION 3

A developer using WebSphere Application Server Developer Tools wants to create a webproject that will contain servlets and JSP files. The developer opens the New Web Projectwizard using File > New > Web Project menu item.

What should the developer do in the New Web Projectwizard to accomplish this?

- A. Select the Web 2.0 Project template.
- B. Select the Simple Project template, and select Java EE in the Programming Modelsection.
- C. Select the Simple Project template, and select Client-side only in the ProgrammingModel section.
- D. Select the Simple Project template, and add the Servlets and JSP facets using the Change Features button.

Answer: B

QUESTION 4

A developer using WebSphere Application Server Developer Tools has written a webapplication that is shared by multiple EAR projects. Which statement is true if the developer deletes the web application?

- A. All the references to the Web application are removed from the EAR projects by default.
- B. The developer must remove the references to theweb application from all the EARprojects before deleting the web application.
- C. All the references to the Web application are removed from the EAR projects only ifnone of the projects are deployed to aLiberty server.
- D. All the references to the Web application are removed from the EAR, but only if the userselects to do that in the Delete Resources confirmation dialog.

Answer: A

QUESTION 5

A developer is using the WebSphere Server application Developer Tools to convert their existing JPA project to an OSGi JPA bundle. The original JPA project has apersistence.xmlfile that is by default located in the src/META-INF folder of the project.

The developer invokes the action to convert the JPAproject to an OSGi bundle project. Which changes are expected to be performed by the tools to the original project when it is converted to an OSGi bundle?

- A. The MANIFEST.MF file is generated under a newMETA-INFfolder in the root of theproject. The following entry is added to the MANIFEST.MF file: Meta-Persistence:
- B. The MANIFEST.MF file is generated under a newMETA-INFfolder without a Meta-Persistence: Entry
- C. The MANIFEST.MF file is generated in thesrc/META-INFfolder which contains the persistence.xml file. The following entry is added to the MANIFEST.MF file: Meta-Persistence:
- D. The MANIFEST.MF file is generated in theBundleContext/META-INFfolder. Thepersistence.xml is moved from the srcfolder to the same location as theMANIFEST.MF.

Answer: C

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.
- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams:

http://www.lead2pass.com/all-products.html





























10% Discount Coupon Code: ASTR14