



Vendor: HP

Exam Code: HP0-094

Exam Name: HP-UX Networking and Security

Version: DEMO

QUESTION 1

When mounting a file system from an NFS client, which configuration file is used to name the local mount point?

- A. fstab
- B. nfstab
- C. exports
- D. nfs.conf

Answer: A

QUESTION 2

What is the meaning of the following ARP table entry? # arp -a
foo (10.0.0.2) at (incomplete)

- A. Node foo only supports proxy ARP.
- B. The ARP table entry for node foo has expired.
- C. An ARP request was sent for node foo, but there was no ARP response.
- D. An ARP request was sent for node foo, but only a partial response was received.

Answer: C

QUESTION 3

How should you grant NFS filesystem access to individual users as opposed to all users?

- A. create a group accessible mount point
- B. specify a netgroup in the /etc/exports file
- C. add the users to the /etc/exports file using the form host:uid/gid
- D. add the users to the /etc/exports file using the form host:username

Answer: B

QUESTION 4

Which protocol allows your server to discover the IP address of another server based on the other server's name?

- A. ARP
- B. PPP
- C. DNS
- D. DHCP
- E. BOOTP

Answer: C

QUESTION 5

What is used for the implementation of Internet name designations as specified in RFC 1034 and RFC 1035?

- A. INS

- B. BIND
- C. SIND
- D. DHCP

Answer: B

QUESTION 6

A customer reports that pings to node FOO take a long time, then fail with "unknown host". Of the options given, what is the next logical troubleshooting step?

- A. telnet FOO
- B. nslookup FOO
- C. ps -ade | grep ping
- D. ping the IP address of FOO

Answer: B

QUESTION 7

Which directory does the template for your new sendmail.cf file reside?

- A. /etc/mail/
- B. /etc/mail/sendmail/
- C. /usr/share/sendmail-cf/
- D. /usr/newconfig/etc/mail/
- E. /var/templates/shared/mail/

Answer: D

QUESTION 8

Given the following configuration in the named zone file:

hp.com IN MX 10 tiger.hp.com

IN MX 20 mail.hp.com

IN MX 30 relay.hp.com

Assuming tiger.hp.com is NOT accessible through the firewall, which statement is true regarding messages addressed to tiger.hp.com?

- A. Incoming mail will be returned to sender as undeliverable.
- B. Incoming mail will arrive on mail and will be forwarded to relay waiting on tiger.
- C. Incoming mail will arrive on tiger but will not be accessible until the firewall is turned off.
- D. Incoming mail will arrive on mail and will be forwarded to tiger as it becomes accessible.

Answer: D

QUESTION 9

When you start the sendmail service, you would like to have the mail written to /var/adm/syslog/mail.log. What should you do?

- A. Modify the mail.conf file to add the new location.
- B. No special action is required because that is the default location.

- C. Append -oL/var/adm/syslog/mail.log to the end of command line.
- D. Append -f/var/adm/syslog/mail.log to the end of the command line.
- E. Append -lf/var/adm/syslog/mail.log to the end of the command line.

Answer: B

QUESTION 10

When you set up an 8 CPU DHCP server, how many subnets can you configure per pool?

- A. 1
- B. 2
- C. 4
- D. 8

Answer: A

QUESTION 11

Which states are valid for DHCP? (Select two.)

- A. init
- B. select
- C. rebind
- D. reboot
- E. broadcast

Answer: DE

QUESTION 12

Which combination of NFS mount options provides the best chance of avoiding client hangs?

- A. retry=2,hard
- B. retry=4,soft
- C. retry=6,hard,intr
- D. retry=3,retrans=6

Answer: B

QUESTION 13

Which command dismounts an NFS mounted filesystem?

- A. mount -r /mnt
- B. unmount /mnt
- C. mntab -x /mnt
- D. umount server:/mnt

Answer: D

QUESTION 14

During the configuration process for sendmail, which command is run to determine the default hostname to be used for delivery?

- A. `uname -s`
- B. `getuname`
- C. `sendmail -h`
- D. `hostname -s`
- E. `gethostname`

Answer: E

QUESTION 15

What does the DHCP device group allow for?

- A. automatic startup of DHCP tools
- B. multiple subnets to be specified for each pool
- C. callback routines within the `/etc/dcptab` file
- D. different types of clients to receive different parameters

Answer: D

QUESTION 16

Execution of the `telnet foo` command results in a connection refused by foreign host error message. Which file on node `foo` could be modified to allow TELNET connections?

- A. `/etc/hosts`
- B. `/etc/networks`
- C. `/etc/inetd.conf`
- D. `/etc/svc.conf`

Answer: C

QUESTION 17

What is an SNMP trap?

- A. an event sent by the Network Management Station to a client
- B. host response to a Network Management Station status request
- C. an unsolicited event notifying the Network Management Station of a change
- D. Network Management protocol interrupt generated by a Management Station

Answer: C

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14