

Vendor: IBM

Exam Code: A4040-121

Exam Name: Assessment: Virtualization Technical Support

for IBM i - v1

Version: DEMO

#### **QUESTION 1**


What are two methods to determine the partition to which virtual disks are assigned?

- A. In VIO Server, use Ispv-AvI In the HMC command line, use Isvdev-p
- B. In VIO Server, use Isdev-v command In IBM i, use WRKCFRGSTS \*DEV\* VRT
- C. In VIQ Server, use the Isctg -vI command In IBM i, use the WRKHWDRSC \*STG command
- D. In VIO Server, use the Ismap command In the HMC GUI use Virtual Resources/Virtual Storage Management

Answer: D

### **QUESTION 2**

The DSPFMWSTS on an IBM i 7.1 partition appears as shown:



As part of troubleshooting, IBM support asks that level AL730\_087 be deactivated. How is that accomplished?

- A. Run command DLTPTF PTF(MH01310) RMV(\*TEMP)
- B. Run command RMVPTF LICPGM(5770SS1) SELECT(MH01310) DELAYED(\*YES), then restart the partition
- C. Stop all partitions
   Change the managed system to start in "P" mode
   Restart the managed system
   From the HMC, select Updates
- D. On the resulting screen, select the managed system
  Under Tasks select Change Licensed Internal Code for Current Release In the wizard select Deactivate

Temporary Level

Answer: C

### **QUESTION 3**

A client IBM i partition running 6.1 is being upgraded to 7.1 using an image catalog on an IBM i 6.1 partition. The image catalog is loaded into a virtual optical device and made available to the client partition using a Network Server Description and virtual SCSI adapters. Which statement is correct?

- A. The next volumes will have to be mounted manually, one by one.
- B. The virtual optical device performs as a library in IBM i 6.1.
- C. The device will show on the client with the same name as on the host.
- D. The virtual optical device should be specified in the NWSD before it can be seen by the client partition.

Answer: A

#### **QUESTION 4**

Auditors have reviewed access to the HMC and determined that many users have too much authority on the HMC. What is the correct method to restrict users to only a specific set of resources?

- A. Change the users' task role to hmcoperator.
- B. Create and assign a new task role that allows only the required set of tasks.
- C. In Manage Users and Tasks, select each resource that is required for this user.
- D. Create and assign a new resource role that allows access to only the required resources.

Answer: D

## **QUESTION 5**

A client plans to add a Power 770 server to a POWEP6 environment. What resource can the administrator use to determine if the HMC is at the correct level to support the new server firmware?

- A. ASMI
- B. HMC Service Agent
- C. Power Code Matrix
- D. System Planning Tool

Answer: C

# **Thank You for Trying Our Product**

# **Lead2pass Certification Exam Features:**

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.lead2pass.com/all-products.html

























10% Discount Coupon Code: ASTR14