

Vendor: Cisco

Exam Code: 642-736

Exam Name: Implementing Advanced Cisco Unified Wireless Security (IAUWS)

Version: DEMO

QUESTION 1

What is the purpose of looking for anomalous behavior on a WLAN infrastructure?

- A. identifying new attack tools
- B. auditing employee's bandwidth usage
- C. identifying attacks using signature matching
- D. improving performance by load balancing

Answer: A

QUESTION 2

When deploying guest WLAN access using the anchor controller, which is used to transport the guest data traffic between the foreign and anchor controllers?

- A. UDP port 16666
- B. UDP port 16667
- C. IP protocol 97
- D. UDP port 161
- E. UDP port 162

Answer: C

QUESTION 3


When is local EAP authentication on the controller used?

- A. to authenticate the APs that act as 802.1X supplicants
- B. as a backup in case the APs cannot reach the controllers
- C. as a backup in case the RADIUS servers are not reachable
- D. when deploying guest access using the anchor controller

Answer: C

QUESTION 4

Drop Drag



Answer:

Match the EAP method on the left to its correct description on the right.	
EAP-FAST	EAP-TLS
EAP-TLS	PEAP
PEAP	EAP-FAST

QUESTION 5

When adding a new Local Net User on the controller, what happens if the Guest User check box is selected?

- A. Web authentication will be enabled on the guest account.
- B. The amount of time the guest user has access to the local network will be limited.
- C. The controller will authenticate the guest account using the Cisco NAC Guest Server.
- D. The guest user traffic will be associated to the guest VLAN. E.802.1x authentication will be disabled on the guest account.

Answer: B

QUESTION 6

For wireless NAC OOB implementation, the Cisco WLC is added on the Cisco NAC Appliance Manager as what kind of device?

- A. RADIUS client
- B. RADIUS server
- C. SNMP trap receiver
- D. OOB management device
- E. OOB virtual gateway

Answer: D

QUESTION 7

Which function does a rogue detector access point perform?

- A. RLDP
- B. switch port tracing
- C. rogue AP containment
- D. identifying a rogue AP on the wired network

Answer: D

QUESTION 8

If DHCP services are implemented on the anchor controller, what is locally populated in the primary DHCP server field?

- A. DHCP relay IP address
- B. next-hop router IP address
- C. firewall DMZ interface IP address

D. management IP address of the controller

Answer: D

QUESTION 9

When using Cisco Secure Services Client to configure a wireless LAN connection that uses EAP-FAST, which three options are available as the inner authentication method? (Choose three.)

- A. GTC
- B. PAC
- C. MSChapV2
- D. TLS
- E. PAP
- F. pre-shared key

Answer: ACD

QUESTION 10

As of controller release v5.2, which two statements about wired guest access support are true? (Choose two.)

- A. It is not supported on the Cisco 2100 Series Controllers.
- B. No more than three wired guest access LANs can be configured on a controller.
- C. Layer 3 web authentication and passthrough are not supported.
- D. Wired guest access cannot be configured in a dual-controller configuration that uses an anchor controller and a foreign controller.
- E. The wired guest access ports must be in the same Layer 2 network as the foreign controller.

Answer: AE

★ Instant Download **★** PDF And VCE **★** 100% Passing Guarantee **★** 100% Money Back Guarantee

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: <u>http://www.lead2pass.com/all-products.html</u>



10% Discount Coupon Code: ASTR14