



**Vendor:** Network Appliance


**Exam Code:** NS0-182

**Exam Name:** NetApp Certified Storage Installation Engineer,  
ONTAP

**Version:** DEMO

### QUESTION 1

Select the Exhibit tab.



You finished the installation of a new FAS8200 system. The customer wants to use FC and 10G Ethernet but only has the onboard UTA2 ports available. Referring to the exhibit, which two sets of ports would the customer use? (Choose two.)

- A. e0e, 0f and e0g, 0h
- B. 0e, 0f and e0g, e0h
- C. 0e, e0f and 0g, e0h
- D. e0e, e0f and 0g, 0h

**Answer:** AD

### QUESTION 2

You finished an ONTAP 9.5 installation using the information provided by the customer, but the NFS exports and CIFS shares cannot be accessed using the newly created data LIFs. In this situation, which action should you perform before you leave the customer's site?

- A. Advise the customer to but Cisco switches because NetApp supports only Cisco switches for CIFS and NFS.
- B. Review the ONTAP network configuration with the customer and make sure that it is correct.
- C. Connect to the customer's switch infrastructure and reset the port configurations.
- D. Advise the customer to solve the issue on their own, this is not part of a basic installation.

**Answer: B**

**QUESTION 3**

You have created an aggregate with one RAID group on your ONTAP 9 cluster. Two disks have already failed and have not finished reconstructing.

What would protect you from a third disk failure while you are still reconstructing the two failed disks?

- A. RAID-0
- B. RAID-4
- C. RAID-TEC
- D. RAID-DP

**Answer: C**

**QUESTION 4**

You have just replaced a FAS controller with a new controller and installed the appropriate licenses for the new FAS controller.

What are two ways to remove unused licenses in this situation? (Choose two.)

- A. Use OnCommand Unified Manager.
- B. Use OnCommand System Manager.
- C. Use the cluster license clean-up `rmnused` command.
- D. Use the system license clean-up `rmnused` command.

**Answer: BD**

**QUESTION 5**

You are asked to install an AFF A700 with two DS224C shelves fully populated. When you arrive, the customer asks you to install an additional shelf.

Which shelf would you add to this cluster?

- A. a DS224C shelf fully populated with SAS drives
- B. a DS224C shelf fully populated with SATA drives
- C. a DS2246 shelf fully populated with SSD drives
- D. a DS4486 shelf fully populated with SATA drives

**Answer: C**

**QUESTION 6**

What are two ways to obtain customer licenses for a new ONTAP system? (Choose two.)

- A. Access the NetApp Support site.
- B. Open a support ticket.
- C. Access the Field Portal site.
- D. Access NetApp Knowledge Base.

**Answer: AB**

#### QUESTION 7

You were dispatched to add a DS224C to an existing HA pair that has a stack of DS4243 shelves with 1 TB drives and a stack of DS4246 shelves with 1 TB drives. The customer wants to make sure that ACP is cabled for all shelves.

Which two considerations should you advise the customer in this situation? (Choose two.)

- A. ACP communication uses SAS cables and does not require Ethernet cables for IOM12 and IOM6 modules.
- B. ACP communication cannot be used for the DS224C and the DS4243 shelves at the same time.
- C. Out-of-band ACP communication is use by default in ONTAP 9.0 and later software.
- D. The ACP communication has been discontinued beginning with ONTAP 9.5, IOM6, and IOM12 modules.

**Answer:** AC

#### QUESTION 8

You install a new AFF A300 2-node switchless cluster with ONTAP 9.5 at a customer site. Each node has a root aggregate as part of the system configuration. In this scenario, what is the default disk partitioning called?

- A. root-data-data partitioning
- B. data-data partitioning
- C. root-data partitioning
- D. root-data-root partitioning

**Answer:** C

#### QUESTION 9

Your customer has a new FAS2650 HA cluster with ONTAP 9.5 installed. The cluster is connected to two CN1610 switches.

Which two statements describe this installation? (Choose two.)

- A. This is a multiple-node installation.
- B. This is a single-node installation.
- C. The cluster interconnect is in a switched configuration.
- D. The cluster interconnect is in a switchless configuration.

**Answer:** BC

## Thank You for Trying Our Product

### Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



**10% Discount Coupon Code: ASTR14**