



Vendor: Cisco


Exam Code: 642-447

Exam Name: Implementing Cisco Unified
Communications Manager, Part 1 v8.0 (CIPT1 v8.0)

Version: DEMO

QUESTION 1

Refer to the exhibit. Which conference resource is Conference 3 using assuming that the MRGL has just been reset and all 6 conferences have become active?



- A. HW_CFB_1
- B. HW_CFB_2
- C. SW_CFB_1
- D. SW_CFB_2
- E. SW_CFB_3

Answer: B

QUESTION 2

Which protocol is recommended to be used between Cisco Unified Communications Manager and the voice gateway to simplify the dial plan?

- A. SIP
- B. SCCP
- C. H323
- D. RSVP
- E. MGCP

Answer: E

QUESTION 3

Which protocol can Cisco Unified Communications Manager not use to monitor the status of the gateway?

- A. H.323
- B. SIP
- C. MGCP
- D. SCCP

Answer: A

QUESTION 4

Which option lists matches for the route pattern 38[^1-6]?

- A. 380, 387, 388, 389
- B. 381, 382, 383, 384, 385, 386 only
- C. 381, 386 only
- D. 381, 382, 383, 384, 385, 386, 38*, 38# only

Answer: A

QUESTION 5

Which two options can a route pattern be assigned? (Choose two.)

- A. a route list with one or more route groups configured
- B. a route list with no route groups configured
- C. a gateway that is assigned to a route group
- D. a gateway that is not assigned to a route group

Answer: AD

QUESTION 6

Which route pattern is the best match for the range of 6000 to 6599?

- A. 6XXX
- B. 65XX
- C. 60XX
- D. 6[05]XX
- E. 6[0-5]XX

Answer: E

QUESTION 7

Which statement about the relationship between gateways and route groups is true?

- A. Each gateway can belong to only one route group and can be listed only once within that route group.
- B. Each gateway can belong to only one route group and can be listed multiple times within that route group.
- C. Each gateway can belong to multiple route groups and can be listed only once within each route group.
- D. Each gateway can belong to multiple route groups and can be listed multiple times within each route group.

Answer: C

QUESTION 8

Which two algorithms are valid to distribute calls in a route group? (Choose two.)

- A. round-robin
- B. top-down

- C. bottom-up
- D. broadcast
- E. circular

Answer: BE

QUESTION 9

Which option describes where you set up the toll-fraud prevention feature that drops any calls from a conference if no on-net users are still connected?

- A. in the service parameters for the Ad Hoc Conference Service
- B. in the service parameters for Cisco IP Voice Media Streaming App
- C. in the service parameters for Cisco CallManager
- D. in the enterprise parameters

Answer: C

QUESTION 10

Which two valid features prevent toll fraud? (Choose two.)

- A. CNC
- B. FAC
- C. CAC
- D. CSS

Answer: BD

QUESTION 11

The Cisco IP Phone of your company operator is on extension 7000. However, users normally dial 0 to get the operator.

Which action sends calls that were made to 0 to the operator?

- A. Create a route pattern of 0 and use a called party transform mask of 7XXX.
- B. Create the IP phone overlay feature so the operator's line has 0 and 7000 assigned to it.
- C. Create a translation pattern for 7000 and a called party transform mask of 0.
- D. Create a translation pattern for 0 and a called party transform mask of 7000.
- E. Create a translation pattern for 0 and a calling party transform mask of 7000.

Answer: D

QUESTION 12

Which two elements are configured to provide dialing privileges in Cisco Unified Communications Manager? (Choose two.)

- A. partitions
- B. regions
- C. enterprise phone configuration
- D. calling search spaces

Answer: AD

QUESTION 13

Which two statements about calling search spaces and partitions are true? (Choose two.)

- A. Partitions define who you can call.
- B. Partitions define who can call you.
- C. Calling search spaces can be assigned only to phones and gateways.
- D. Calling search spaces define who you can call.
- E. Calling search spaces define who can call you.

Answer: BD

QUESTION 14

Which option describes the objective of use partitions?

- A. Divide directory numbers with different privileges.
- B. Group called numbers with identical reachability characteristics.
- C. Provide calling privileges to implement CoS.
- D. Enable the use of FAC.
- E. Route different called patterns to a specific gateway.

Answer: B

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: ASTR14