



**Vendor:** Juniper

**Exam Code:** JN0-1302

**Exam Name:** Data Center Design, Specialist (JNCDS-DC)

**Version:** DEMO

### QUESTION 1

You are asked to design a solution for your data center EVPN/VXLAN fabric that will allow connectivity for all of your service platforms, such as firewalls and load balancers into a dedicated pair of border leaf devices


Which three Juniper Networks platforms would support this requirement? (Choose three )

- A. SRX Series
- B. QFX10000 Series
- C. EX4300-MP Series
- D. 0MX Series
- E. QFX5120 Series

**Answer:** ABC

### QUESTION 2

Exhibit.



After several design meetings with the WAN team. EVPN MPLS will be deployed as the Data Center Interconnect protocol


What should be enabled on the MX Series routers to support transporting traffic between DC-A and DC-B as shown in the exhibit?

- A. CGNAT
- B. fragmentation
- C. OVSDB
- D. stitching

Answer: D

### QUESTION 3

Exhibit.



Referring to the exhibit, which two statements are true? (Choose two)

- A. The vSRX is working in routed mode
- B. The vSRX is not performing microsegmentation
- C. The vSRX is working in transparent mode
- D. The vSRX is performing microsegmentation

Answer: AD

### QUESTION 4

You are asked by the data center architecture team to evaluate redundancy and management options for server racks that have two or more switches to reduce the management footprint while maintaining redundancy

Which technology fulfills both requirements?

- A. ESI
- B. MC-LAG
- C. Virtual Chassis
- D. Virtual Router Redundancy Protocol

Answer: C

#### QUESTION 5

You are implementing a new data center and need to plan to connect it to your existing data center. You have the requirement for active/active forwarding to enable load balancing and reduce failure times.

Which two technologies should be evaluated for this design? (Choose two.)

- A. point-to-point links
- B. Layer 2 VPN
- C. VPLS
- D. CVPN

**Answer:** AC

#### QUESTION 6

You are designing an EVPN/VXLAN network and want to ensure that latency between VMs on the same host is as low as possible for both Layer 2 and Layer 3 traffic. Which two design choices will accomplish this task? (Choose two.)

- A. Configure leaf nodes as VXLAN Layer 2 gateways
- B. Configure leaf nodes as VXLAN Layer 3 gateways
- C. Configure spine nodes as VXLAN Layer 3 gateways
- D. Configure spine nodes as VXLAN Layer 2 gateways

**Answer:** CD

#### QUESTION 7

A customer has concerns about various groups having the ability to easily access their corporate network infrastructure. They want to implement tighter controls for network infrastructure system access.

Which three actions will accomplish this task? (Choose three )

- A. Use a secure access VPN
- B. Open console port access
- C. Disable root access
- D. Use RADIUS accounting.
- E. Provide local passwords

**Answer:** ACD

## Thank You for Trying Our Product

### Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



**10% Discount Coupon Code: ASTR14**