

**Exam Code:** 9A0-803

**Exam Name:** Certified Dreamweaver8 Developer Exam

**Vendor:** Adobe

**Version:** DEMO

## Part: A

1: What area, in the Insert bar, is intended for customizing and organizing frequently used objects?

- A.Layout
- B.Common
- C.Favorites
- D.Application

**Correct Answers: C**

2: What can the <head> section of a document contain? (Choose TWO)

- A.<body> tag
- B.style sheets
- C.<meta> tags
- D.version of HTML used
- E.everything that displays in a browser

**Correct Answers: B C**

3: What is a feature of the coding toolbar?

- A.create unordered list from selected code
- B.apply comment button can only insert HTML comment
- C.ability to undock and move toolbar and customize button
- D.if nested comments, remove comment button only removes outer comment tag

**Correct Answers: D**

4: If a form requires a constant value for a form field each time the form is submitted, what type of field is used to store the data?

- A.Hidden
- B.Standard
- C.Concealed
- D.Fixedvalue

**Correct Answers: A**

5: What text formatting can be applied from the Property inspector?

- A.font size
- B.underline
- C.superscript
- D.definition list

**Correct Answers: A**

6: In CSS, what is the correct example of a custom class called myclass?

- A..myclass
- B.#myclass
- C.\$myclass
- D.%myclass

**Correct Answers: A**

7: What set of Cascading Style Sheets (CSS) style rules cause hypertext links within a table data cell to appear bold, not underlined, and with a pale gray background when the user moves the mouse pointer over a link?

```
A.td a:hover {  
font-weight: bold;  
underline: none;  
background-color: #CCCCCC;  
}
```

```
B.td a:hover {  
font-weight: bold;  
text-decoration: none;  
background-color: #CCCCCC;  
}
```

```
C.td a:hover {  
font-weight: bold;  
underline: none;  
background-color: #CCCCCC;  
}
```

```
D.td, a:hover {  
font-weight: bold;  
text-decoration: none;  
background-color: #CCCCCC;  
}
```

**Correct Answers: B**

8: What action reduces a page's download time?

A. Use tables instead of CSS for page layout.

B. Link, rather than embed, client-side JavaScript.

C. Reduce the number of colors used in GIF images.

D. Resize images using the height and width attributes of the <img> tag.

**Correct Answers: C**

9: Which symbols could be used to start a comment in JavaScript? (Choose TWO)

A. //

B. \*/

C. #

D. {

E. /\*

**Correct Answers: A E**

10: What behavior can be attached to a hyperlink to load new content into two different frames in a frameset?

- A.Go To URL
- B.Swap Image
- C.Change Behavior
- D.Open Browser Window

**Correct Answers: A**

11: What Visual Aid displays the margin, border, and padding of CSS elements?

- A.Layer Outline
- B.CSS Layout Outlines
- C.CSS Layout Box Mode
- D.CSS Background Layout Background

**Correct Answers: C**

12: What is "align" in the following code known as?

```
<div align="center">
```

- A.value
- B.element
- C.attribute
- D.argument

**Correct Answers: C**

13: A page has an embedded style sheet that redefines H3 as Arial, red. The same page has a linked style sheet attached that defines H3 as Verdana, blue, and 16 pixels. How should text between H3 tags display on the page in a browser?

- A.Arial, red, 16 pixels
- B.Verdana, red, 16 pixels
- C.Verdana, blue, 16 pixels
- D.Arial, red, browser default font size

**Correct Answers: A**

14: When would an onBlur event occur?

- A.onBlur is not an event
- B.when an image is selected
- C.when a form field is selected
- D.when selecting any object other than the one the onBlur event is attached
- E.when selecting any object after selecting the one the onBlur event is attached

**Correct Answers: E**

15: What CSS formatting options must be previewed in the browser to see them properly rendered?

- A.A:link
- B.A:hover
- C.Line Height
- D.Letter Spacing

**Correct Answers: B**

16: What functionality does the Coding Toolbar provide in Code View? (Choose TWO)

- A.Code Collapse
- B.Code Hint Tools
- C.Balance Braces
- D.Inserting Functions
- E.Create New Snippet

**Correct Answers: A C**

17: Where is the Characters menu found?

- A.Assets panel
- B.Property inspector
- C.HTML Styles panel
- D.Insert > HTML > Special Characters

**Correct Answers: D**

18: How are guides created in Dreamweaver?

- A.dragged from ruler
- B.added by viewing grid
- C.drawn with the line tool
- D.automatically drawn along slice

**Correct Answers: A**

19: Which method is used to open a new browser window?

- A.window.new()
- B.window.open()
- C.navigator.open()
- D.document.new()

**Correct Answers: B**

20: Dreamweaver can display code that is inserted by the server using a server-side include. Why should a developer use this feature?

- A.makes sure the code is accessible
- B.aids proper layout of the web page
- C.way to create a server-side include in HTML
- D.helps test how the server-side include works on a local machine

**Correct Answers: B**