

# SAP

## C\_HANADEV\_17 Exam

**Certified Development Associate - SAP HANA 2.0 SPS05**

---

**Question: 1**

---

To comply with the SAP Fiori principles, which view type is recommended by SAP?

- A. JSON
- B. XML
- C. HTML
- D. JavaScript

---

**Answer: B**

---

Explanation:

---

**Question: 2**

---

In an SAPUI5 application, where do you find the reference to sap-ui-core.js?

- A. In the URL to the SAPUI5 application
- B. In the bound attributes data model
- C. In the manifest.json descriptor file
- D. In the bootstrap section of the index.html

---

**Answer: D**

---

Explanation:

---

**Question: 3**

---

You implement a native SAP HANA application using SAP HANA extended application services, advanced mode (XS advanced) and SAPUI5. Where is the UI rendering executed?

- A. On the XS advanced application server
- B. On the SAPUI5 HTML5 module
- C. On the front-end client device
- D. On the SAP Fiori front-end server

---

**Answer: B**

---

Explanation:

---

**Question: 4**

---

Which of the following are characteristics of SAPUI5? Note; There are 3 correct answers to this question.

- A. Provides device-specific user experience
- B. Supports customer-specific theming
- C. Provides an extensibility concept
- D. Enables responsive application design
- E. Renders the UI on server side

---

**Answer: BCD**

---

Explanation:

---

**Question: 5**

---

What happens if you define a database object in the persistence model and deploy it using the SAP HANA Deployment Infrastructure (HDI)?

- A. The corresponding runtime object is created in the database module of the multi-target application during runtime.
- B. The corresponding runtime object is created in the HDI container on deployment.
- C. A descriptive representation of the object is created in HDI during runtime.
- D. The HDI container is created when the design-time object is saved.

---

**Answer: D**

---

Explanation: