



**Vendor:** SAP

**Exam Code:** C\_HANAIMP\_18

**Exam Name:** SAP Certified Application Associate - SAP  
HANA 2.0 SPS06

**Version:** DEMO

### QUESTION 1


What is a restricted measure?

- A. A measure that cannot be referenced by a calculated column.
- B. A measure that can only be displayed by those with necessary privileges.
- C. A measure that is filtered by one or more attribute values.
- D. A measure that can be consumed by a CUBE and not a DIMENSION.

**Answer: C**

### QUESTION 2

Referring to the diagram, which privileges would a user require to view United States data when querying the CUBE calculation view?



- A. A SELECT privilege on the CUBE calculation view and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- B. SELECT privileges and Analytic Privileges (Country = United States) on both views
- C. A SELECT privilege and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- D. A SELECT privilege and an Analytic Privilege (Country = United States) on the CUBE calculation view

**Answer: A**

### QUESTION 3

Why does SAP issue warnings about the use of imperative or procedural SQLScript statements?

- A. They could modify the database.
- B. They call multiple processing engines.
- C. They introduce potential security risks.
- D. They can limit parallelization of query execution.

**Answer: C**

**QUESTION 4**

Why would you create a multistore table?

- A. To implement a table that combines the features of row and column store
- B. To enable partitioning of the table across different storage tiers
- C. To improve read performance when the table is accessed by simultaneous applications
- D. To evenly distribute the data across all available server nodes

**Answer: B**

**QUESTION 5**

Which of the following approaches might improve the performance of joins in a CUBE calculation view?

Note: There are 2 correct answers to this question.

- A. Use an inner join
- B. Limit the number of joined columns
- C. Specify the join cardinality
- D. Define join direction in a full outer join

**Answer: BC**

**QUESTION 6**

You have imported a new calculation view in a folder that contains an .hdinamespace file. This calculation view consumes one data source, which is a table. When trying to build the calculation view, the build fails with a namespace-related issue. What could be the reason?

Note: There are 2 correct answers to this question.

- A. The imported calculation view and its data source have different namespaces.
- B. The namespace used within the calculation view to reference the table is different from the actual namespace in the identifier of this table.
- C. The Hdinamespace specifies "sub-folder":"append", so calculation views can only be created in subfolders.
- D. An Hdinamespace file is defined in the SRC folder that specifies a different namespace property than the one in the identifier of the calculation view.

**Answer: AB**

**QUESTION 7**

Why would you use the Transparent Filter property in a calculation view?

- A. To avoid columns being unnecessarily used in an aggregation
- B. To include columns that are NOT requested by a query
- C. To apply filters that are hidden from the end user
- D. To allow filter push-down in stacked calculation views

**Answer: D**

#### QUESTION 8

You define a hierarchy in a calculation view.

You want to expose the hierarchy to SQL. Which of the following conditions must be met?

Note: There are 2 correct answers to this question.

- A. The hierarchy must be defined in a calculation view of type SQL ACCESS ONLY.
- B. The hierarchy must be exposed by a calculation view of type CUBE with star join.
- C. The hierarchy must be a local hierarchy.
- D. The hierarchy must be a shared hierarchy.

**Answer: BD**

#### QUESTION 9

Why do you use parameter mapping in a calculation view?

Note: There are 2 correct answers to this question.

- A. To convert the data types of input parameters
- B. To assign variables to one or more attributes
- C. To push down filters to the lowest level calculation views
- D. To pass variable values to external value help views

**Answer: CD**

#### QUESTION 10

After importing a project in the workspace of the SAP Web IDE, you execute a build at the HDB module level.

The build fails. What could be the reason?

Note: There are 2 correct answers to this question.

- A. You have not defined the HDI build plug-in version.
- B. Your HDB module references a user-provided service that does not exist.
- C. You have not assigned the project to a space.
- D. You have not built the project yet.

**Answer: BC**

## Thank You for Trying Our Product

### Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



Microsoft



ORACLE



JUNIPER  
NETWORKS



EMC²  
where information lives

**10% Discount Coupon Code: ASTR14**