Vendor: CyberArk

Exam Code: PAM-SEN

Exam Name: CyberArk Sentry - PAM

Version: DEMO

QUESTION 1
What is the name of the account used to establish the initial RDP session from the end user client machine to the PSM server?

A. PSMConnect
B. PSMAdminConnect
C. PSM
D. The credentials the end user retrieved from the vault

Answer: A

QUESTION 2
To apply a new license file you must:

A. Upload the license.xml file to the System Safe
B. Upload the license.xml file to the VaultInternal Safe.
C. Upload the license.xml file to the System Safe and restart the PrivateArk Server service.
D. Upload the license.xml file to the VaultInternal Safe and restart the PrivateArk Server service.

Answer: A

QUESTION 3
At what point is a transparent user provisioned in the vault?

A. When a directory mapping matching that user id is created.
B. When a vault admin runs LDAP configuration wizard.
C. The first time the user logs in.
D. During the vault's nightly LD|^P refresh

Answer: A

QUESTION 4
Which of the following are supported authentication methods for CyberArk? Check all that apply

A. CyberArk Password (SRP)
B. LDAP
C. SAML
D. PKI
E. RADIUS
F. OracleSSO
G. Biometric

Answer: BDE

QUESTION 5
The Remote Desktop Services role must be property licensed by Microsoft.

A. TRUE

B. FALSE

Answer: A

QUESTION 6
Which file would you modify to configure your Vault Server to forward Activity Logs to a SIEM or SYSLOG server?

A. dbparm.ini
B. PARagent.ini
C. ENEConf.ini
D. padr.ini

Answer: C

QUESTION 7
Which keys are required to be present in order to start the PrivateArk Server Service? Select all that apply.

A. Server Key
B. Recovery Public Key
C. Recovery Private Key
D. Safe Key

Answer: A

QUESTION 8
What is a requirement for setting fault tolerance for PSMs?

A. Use a load balancer
B. Use a backup solution
C. CPM must be in all data centers
D. Install the Vault in an HA cluster

Answer: C

QUESTION 9
What is a valid combination of primary and secondary layers of authentication to a company's two- factor authentication policy?

A. RSA SecurID Authentication (in PVWA) and LDAP Authentication
B. CyberArk Authentication and RADIUS Authentication
C. Oracle SSO (in PVWA) and SAML Authentication
D. LDAP Authentication and RADIUS Authentication

Answer: A

QUESTION 10

A customer wants to store PSM recordings for 100 days and estimates they will have 10 Windows sessions per day for 100 minutes each.
What is the minimum storage required for the Vault and PAReplicate for the PSM recordings?

A. 25 GB
B. 250 GB
C. 500 GB
D. 5 GB

Answer: B

QUESTION 11
CyberArk User Neil is trying to connect to the Target Linux server 192.168.1.164 using a domain account ACME/linuxuser01 on domain acme.corp using PSM for SSH server 192.168.65.145.
What is the correct syntax?

A. ssh neil@linuxuser01:acme.corp@192.168.1.164@192.168.65.145
B. ssh neil@linuxuser01#acme.corp@192.168.1.164@192.168.65.145
C. ssh neil@linuxuser01@192.168.1.164@192.168.65.145
D. ssh neil@linuxuser01@acme.corp@192.168.1.164@192.168.65.145

Answer: B

QUESTION 12
During the PSM installation process, Safes and a User are created. In addition to Add Safes, Add/Update Users, Reset Users' Passwords, and Activate Users, which authorization(s) does the Vault user installing the PSM need to enable them to be successfully created?

A. Manage Vault File Categories
B. Manage Server File Categories
C. Manage Directory Mapping, Manage Server File Categories
D. Manage Directory Mapping, Manage Vault File Categories

Answer: A

QUESTION 13
What authentication methods can be implemented to enforce Two-Factor Authentication (2FA) for users authenticating to CyberArk using both the PVWA (through the browser) and the PrivateArk Client?

A. LDAP and RADIUS
B. CyberArk and RADIUS
C. SAML and Cyber Ark
D. SAML and RADIUS

Answer: A

QUESTION 14
In which configuration file do you add LoadBalancerClientAddressHeader when you enable x-

forwarding on the PVWA loadbalancer?

A. PVconfiguration.xml
B. web.config
C. apigw.ini
D. CyberArkScheduledTasks.exe.config

Answer: B

QUESTION 15
You want to add an additional maintenance user on the PSM for SSH. How can you accomplish this if InstallCyberarkSSHD is set to Integrated?

A. Create a local user and add it to the PSMMaintenance Group.
B. Create a local user called proxymng.
C. Create a local user and add it to group configured for the parameter AllowGroups in the /etc/sshd_config file
D. Create a local user, called psmpmng.

Answer: C

QUESTION 16
There is a requirement for a password to change between 01:00 and 03:00 on Saturdays and Sundays; however, this does not work consistently.
Which platform setting may be the cause?

A. The Interval setting for the platform is incorrect and must be less than 120.
B. The ImmediateInterval setting for the platform is incorrect and must be greater than or equal to 1.
C. The DaysToRun setting for the platform is incorrect and must be set to Sat,Sun.
D. The HeadStartInterval setting for the platform is incorrect and must be set to 0.

Answer: AD

QUESTION 17
What is the default username for the PSM for SSH maintenance user when InstallCyberarkSSHD is set to yes?

A. proxymng
B. psmp_maintenance
C. psmpmaintenanceuser
D. psmpmnguser

Answer: A

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

★ More than **99,900** Satisfied Customers Worldwide.

★ Average **99.9%** Success Rate.

★ **Free Update** to match latest and real exam scenarios.

★ **Instant Download** Access! No Setup required.

★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.

★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.

★ **100%** Guaranteed Success or **100%** Money Back Guarantee.

★ **Fast**, helpful support **24x7**.

View list of all certification exams: http://www.lead2pass.com/all-products.html

10% Discount Coupon Code: **ASTR14**