Vendor: VMware

Exam Code: 2V0-13.25

Exam Name: VMware Cloud Foundation 9.0 Architect

Version: DEMO

QUESTION 1
Which configuration should the architect recommend as part of the design of a VMware Cloud Foundation (VCF) solution to ensure optimal performance in a multi-tenant environment?

A. Use a single large datastore for all tenants to simplify management.
B. Configure all workloads to operate on a single ESXi host to minimize network latency.
C. Implement vSAN with tiered storage policies to ensure high I/O performance and low latency for tenant workloads.
D. Allow an unlimited number of virtual machines per host to consume all available resources.

Answer: C
Explanation:
In a multi-tenant environment, isolation, predictable performance, and scalability are critical. vSAN with tiered storage policies enables the architect to define performance tiers (e.g., RAID-1 for critical workloads, RAID-5/6 for capacity-efficient workloads). This aligns with the need for low latency and high IOPS for tenant workloads, without oversubscribing or compromising performance. Options A and D disregard tenant performance and isolation, potentially leading to noisy neighbor issues. Option B reduces availability and scalability and is contrary to best practices.

QUESTION 2
An architect is documenting the design for a new VMware Cloud Foundation (VCF) solution and makes the following design decision:

```
Two vSphere clusters will be deployed within the single VI workload
domain.
```

What statement should the architect include as an implication of this design decision?

A. If the solution needs to be scaled at a future date, additional VI workload domains can be deployed.
B. Deploying multiple clusters in the single VI workload domain reduces the number of vCenter Server instances that must be managed.
C. Deploying multiple clusters within the single VI workload domain meets the requirement to segregate Production and Development workloads.
D. All clusters within the single VI workload domain must use vSAN as their principal storage type.

Answer: B
Explanation:
In VMware Cloud Foundation, each VI workload domain is backed by a single vCenter Server instance. By deploying multiple clusters within the same VI workload domain, the architect can support multiple use cases (e.g., separating prod/dev), without provisioning new vCenters. This design reduces management overhead and operational complexity. However, if stricter separation is needed (e.g., multi-tenancy or lifecycle independence), separate workload domains may be more suitable. While vSAN is the default, it's not mandatory unless vSAN Ready Nodes are used for bring-up.

QUESTION 3
An architect has made an assumption that existing support staff are adequately skilled to operate the proposed infrastructure design. The risk associated with this assumption would be that existing support staff are inadequately skilled to operate the proposed infrastructure design. How would the architect mitigate the risk?

A. Hire additional support staff with the same skillsets to add more support capacity.
B. Allocate the necessary time and budget to train existing support staff on the necessary skills required to operate.
C. Complete a skills assessment of the existing support staff to identify the skill gap.
D. Engage a third-party company to deploy and configure the proposed solution.

Answer: B
Explanation:
The correct mitigation for a skills-based risk is to bridge the gap through training and upskilling. Providing time and budget for training ensures that existing staff can competently support the solution and aligns with long-term sustainability of the environment. Option A does not address the skills gap, just adds capacity. Option C is a risk identification tool, not a mitigation step. Option D outsources the issue, which contradicts the goal of internal capability development.

QUESTION 4
As part of a design for a VMware Cloud Foundation (VCF) solution, an architect has documented the following dependencies and constraints:

```
CONSOOl - Internet access will not be permitted from anywhere within
the VCF solution.
CONS002 - The password must not be stored in plain text anywhere within
the VCF solution.
DEP001 - The customer must make the required VCF binaries accessible to
the VCF Installer appliance during the deployment phase.
```

Which design decision should the architect include in the design for the download of the VCF binaries?

A. The VCF Installer appliance will be configured to connect to an online depot.
B. The VCF Installer appliance will be configured to connect to an offline depot.
C. The Bundle Transfer Utility will be used on the VCF Installer appliance.
D. The VCF Download Tool will be used on the VCF Installer appliance.

Answer: B
Explanation:
Due to the explicit constraint that no internet access is permitted, the VCF Installer cannot connect to an online depot. Instead, the architect must use the offline depot model, where binaries are downloaded externally and made accessible locally within the VCF environment (e.g., using a local web server).
This setup aligns with VMware's "air-gapped" deployment guidance for VCF environments with strict security postures.

QUESTION 5
As part of the VMware Cloud Foundation (VCF) logical design, the architect has determined that the VCF Private Cloud will encompass multiple VCF instances contained within a single VCF Fleet. The architect documented the following requirements when using VCF Operations:

```
- Monitoring downtime must be minimized.
- Alerting downtime must be minimized.
```

Which design decision supports these requirements?

A. Deploy two VCF Operations instances and configure the Aggregator Management Pack.
B. Deploy VCF Operations using the Simple model with Collector nodes at remote sites.
C. Deploy VCF Operations using the High Availability model with Collector nodes at remote sites.
D. Deploy a single VCF Operations instance across a multi-VCF instance fleet.

Answer: C
Explanation:
The High Availability (HA) deployment model of VCF Operations ensures that both monitoring and alerting services are resilient to node failure. Deploying Collector nodes at remote sites enables local data collection, reducing WAN dependency and ensuring data is not lost during network interruptions.
This configuration aligns perfectly with the need to minimize monitoring and alerting downtime, which is critical in distributed, multi-instance environments.

QUESTION 6
An architect is responsible for designing a new VMware Cloud Foundation (VCF)-based Private Cloud solution. During the requirements gathering workshop with key customer stakeholders, the following information was captured:

```
The solution must ensure that all workloads running on the platform
comply with the Payment Card Industry Data Security Standard (PCI-DSS).
```

When creating the design document, which design quality should be used to classify the stated requirements?

A. Manageability
B. Performance
C. Recoverability
D. Security

Answer: D
Explanation:
The requirement ensures data protection, secure access, encryption, auditing, and regulatory compliance--fundamental principles in cybersecurity. These attributes fall squarely within the design quality of Security, which concerns protecting confidentiality, integrity, and compliance. PCI-DSS compliance is about implementing security policies, encryption, access controls, monitoring, and auditing--all aspects of the Security design quality in VMware frameworks.

QUESTION 7
During a VMware Cloud Foundation (VCF) architectural design workshop, one of the stakeholders made the following comment:

```
"The company has just used the remaining budget to purchase eight vSAN
Ready Nodes for this project."
```

How would the architect classify this statement within the conceptual model document?

A. Requirement
B. Risk
C. Assumption
D. Constraint

Answer: D
Explanation:
This statement expresses a financial limit - "Remaining budget" - constraining future expenditures on hardware. This is clearly a constraint, as it restricts the design options (e.g., can't procure new hardware). In the VMware Conceptual Model framework, constraints are factors that limit design choices without introducing risk or goal definitions.

QUESTION 8
As part of an initial stakeholder meeting, one of the stakeholders has stated the following:

```
The initial design must be completed within the next 3 months so that
hardware can be ordered within the current budget cycle.
```

How would the architect classify and record this statement?

A. A constraint
B. A risk
C. An assumption
D. A requirement

Answer: A
Explanation:
This is a constraint, as it defines a non-negotiable time limit imposed by the customer's budgeting timeline. It restricts the design phase's schedule and deliverables. In VMware conceptual modeling, timing constraints are explicitly captured as constraints rather than requirements or assumptions.

QUESTION 9
A cloud architect is designing a VMware Cloud Foundation (VCF) Automation solution for an organization. The design must fulfill the following requirements:

```
- The design must minimize provider infrastructure lifecycle tasks.
- The design must minimize infrastructure management overhead.
- Each tenant must have isolated compute infrastructure.
```

Which of the following deployment models best meets these requirements?

A. Single VCF instance with dedicated Workload Domains per tenant
B. Consolidated VCF deployment per tenant
C. Dedicated VCF instances per tenant in a Standard Architecture
D. Shared Workload Domain for tenants

Answer: A
Explanation:
A single VCF instance with dedicated Workload Domains per tenant strikes the balance between operational efficiency and isolation. It reduces lifecycle tasks since only one management domain must be maintained, while each tenant having a dedicated workload domain ensures isolation of compute resources. This meets all three stated requirements effectively: lifecycle simplicity, minimal overhead, and tenant-specific compute separation.

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

★ More than **99,900** Satisfied Customers Worldwide.

★ Average **99.9%** Success Rate.

★ **Free Update** to match latest and real exam scenarios.

★ **Instant Download** Access! No Setup required.

★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.

★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.

★ **100%** Guaranteed Success or **100%** Money Back Guarantee.

★ **Fast**, helpful support **24x7**.

View list of all certification exams: http://www.lead2pass.com/all-products.html

10% Discount Coupon Code: **ASTR14**